


96 TQ29SW / <sup>106</sup>54





# TERRESEARCH LIMITED

BOREHOLE NO. 96 **TQ 29SW 106**

Contract Name **HENDON AERODROME** Report No. **S.982/16**  
 Ground Level **166.0 O.D.** Diameter of Boring **6"**  
50.60 m  
 Water Struck **14'6"** Method **shell and auger**  
 Standing Water Level **None** Start **5.1.67** Finish **5.1.67**

REMARKS:

**TQ 2194 9034**

Description of Strata	Thickness	Depth	Reduced Level	Disturbed Samples	Undisturbed Samples and Insitu Tests
Hard ground (barren bricks)	0'6"	0'6"	165.5		
Fine mottled brown clay	10'6"			2'6" J2953 7'6" J2955	4'0" U2954 9'0" U2956
Stiff mottled brown clay	8'6"	11'0"	155.0	12'6" J2957 17'6" J2959	14'0" U2958
Stiff grey silty sandy clay	10'6"	19'6"	146.5	22'6" J2961 27'6" J2963 U2965	20'0" U2960 24'0" U2962 28'6" U2964
Bottom of borehole		30'0"	136.0		
<b>TOTALS</b>	<b>30'0"</b>	<b>30'0"</b>			

