



**NGRC
BOREHOLE RECORDS
ADJUSTMENT FORM**

QUARTER SHEET TQ 73 NE

BH REGISTRATION NUMBER 3-23

RECORDS ENTERED AND HELD BY WALLINGFORD

BH REGISTRATION NUMBER(S)



TQ 7567 3837

TQ 7313

34/40	Park Farm, Collier's Green, Cranbrook.			(Disused)
Surface +260.	Shaft 40.	R.W.L. +221%.	1931.	
Deepened by bore.	Dando, 1934.	R.W.L. +254% (shaft).		Handpump. Feb. 1961.
TW		75
WdC		84

	Mini log (ft)	DEPTH (ft)
Lower Tunbridge weas sands	64	64
Fine grey sand	11	75
Blue clay	9	84



TQ 7567 3837

RECORD OF WELL (SHAFT OR BORE)

1" N.S.
1" O.S. TQ 7313
Grid Ref.

At Park Farm Colliers Green - In field opposite
Town or Village near Cranbrook County Kent Six-inch quarter sheet.

Exact site 20 yards on East side of Four Wents Rd opp. Farmhouse (A rough sketch-map or a tracing from a map, very desirable)

Level of ground surface above sea-level (O.D.) 257²⁶⁰ ft. If well starts below ground surface state to what depth ft.

Shaft ft., diameter ft. Bore ft. Diameter of bore: at top ins. at bottom ins.

Details of permanent lining tubes (internal diameters preferred)

Water struck at depths of (feet)

Rest-level of water below top of well 38 1/2 feet. Suction at feet. Yield on hours' test gallons per (with pump of capacity g.p.h.); depressing water level to feet below top. Time of recovery hrs. Amount normally pumped daily g.p.h. for hours.

Quality (attach copy of analysis if available)

Sunk by for Mr. Date of well 1931

Information from

(For Survey use only). GEOLOGICAL CLASSIFICATION.	NATURE OF STRATA (and any additional remarks).	THICKNESS		DEPTH	
		Feet.	Inches.	Feet.	Inches.
	Lower Tunbridge Wells sand	40			
L.T. W.S.	Deepened in 1934 by Duke & Gehander				
	Lower Tunbridge Wells sand	24		64	
	Fine grey sand	11		75	
Wadhurst Clay	Blue Clay	9		84	
	Small quantity of water at top of clay.				
	Sited on Kent 62SE-W Disused				
	Well is on property of:- Mr. S. Calcutt, Four Wents Cranbrook. Extracts from letter filed under W.O./304/40 from R.S. Flete. 11.1.61 A.M.M.				
	Visited and site corrected on Kent 62SE/W. Disused. Rotary handpump. Covered by wooden beams. R.W.L. 5'3 1/2" (in shaft). O.D. 260. 13.2.61				
	DATA Bank				

GEOLOGICAL SURVEY AND MUSEUM,
SOUTH KENSINGTON,
LONDON, S.W.7.

For Survey use only

Date received	G.S.M. Office File No.	Site marked on 1" map (use symbol)
---------------	------------------------	------------------------------------

(7998) W1.30064/0849 5,000 12/88
A.&B.W.Ltd. Gp.486