

19 *

Colliery Log Bore No. Schedule No.

10 18
NZ 07 NW 16

	Ft.	Ins.
Earth -	1	9
Solid Limestone -	44	1
Calcareous Shale -		7
Dark Grey Shale -		8
Coal -		5
Sandstone -	1	6

Total depth - 49 0

11 11 /
NW 07 NW 19

Earth and Clay -	2	0
Solid Limestone -	50	0
Dark Grey Shale -	1	2
Coal -		4
Sandstone -	1	6

Total depth - 55 0

12 18 ✓
NW 07 NW 14

Earth -	1	9
Clay -	1	3
Solid Limestone - with two Shaley partings -	45	9
Shale -	4	2
Coal -		7
Light Grey Sandstone -	2	6

Total depth - 56 0


13 12 /
NW 07 NW 10

Earth -	1	0
Clay -	2	11
Solid Limestone -	48	11
Calcareous Shale -		5
Dark Grey Shale -	2	3
Sandstone -	1	6

Total depth - 57 0

14/83-1/13

MOOTLAW DISTRICT NZ 07 NW9-21
6" SERIES. EDITION 1924.
NORTHUMBERLAND. (NEW SERIES.)
SHEET NLXXV. SW 8 SE



The Field Nos on this Plan are taken
from the 25in. Ordnance Plan.

Bores L No 13



A member of the Gold Fields Group

Quarry/Area
Bore hole no

IN CONFIDENCE
Moot 1
411

Ground level 235.5 m

Project North Quarry

Date 1932

NZ 07 NW/19

Amey Roadstone Corporation Limited
LEEDS

Borehole log sheet - diamond drill


Run	Core	Legend	Depth	Thickness	Strata	Remarks
			0.609	0.609	<u>Overburden</u>	
				15.24	<u>Limestone</u>	Massive
			15.949	0.356	<u>Shale</u>	Dark Grey
			15.200	0.1	<u>Coal</u>	
			16.262	0.457	<u>Sandstone</u>	

NZ 07 NW. 9-21

24-42

44-52

MOOTLAW — MINERAL PROSPECTING PLAN



- M1-22 ARC 1965
- 1-7 ARC 1975-6
- A1-13 1932
- OB OVERBURDEN
- LST LIMESTONE
- SH SHALE
- SS1 SANDSTONE
- PROPOSED NORTH QUARRY BOUNDARY

ARC Amey Roadstone Corporation Limited. Northern Division.	
MOOTLAW	
DATE: JAN 1976	SCALE: 1/2500
REVISED:	SURVEYOR: D. BAXTER.
ALL LEVELS IN METRES ABOVE ORDNANCE DATUM.	
DRG. NO. 662	